

New Client Health Survey

Name: _____ Best Phone: _____
 Address: _____ City: _____
 ST/Zip: _____ Email: _____
 Date of Birth: _____ Age: _____ Sex: _____
 Overall health (circle one): Excellent / Good / Fair / Poor / Other: _____
 Who referred you? _____

Main complaint (reason you are here, use separate sheet if more room needed)

 Previous treatments for this complaint: _____

 List any major illnesses: _____

Past accidents or injuries: _____

What surgeries have you had and when? _____

Family history of serious illnesses (circle those which apply): Cancer / Diabetes / Heart /
 Other: _____

What kind of prescription medication do you take? _____

What are your medications for? _____

 Are you currently under the care of a physician or other health care professionals? If yes,
 please give name and date of last visit.

 List household pets: _____

How many ounces of water do you drink daily? _____

How many bowl movements do you have per day? _____

1 to 10, 10 being the highest level of energy, how much energy do you have? __

What do you normally eat for breakfast? _____

 What do you normally eat for lunch? _____

 What do you normally eat for dinner? _____

 What do you normally eat for snacks? _____

If you consume the following foods more than two times per week please put a check by it.

Alcohol		Bread		Chips	
Soda		Pasta		Chocolate	
Coffee		Cookie/Brownie/Pastry		Candy	
Cows Milk		Tortilla		Cigarette	

SYSTEMS SURVEY FORM



Patient _____ Doctor _____ Date _____
Birth Date ____ / ____ / ____ Approx Weight _____ Sex: Male Female
Pulse: Recumbent _____ Standing _____ Vegetarian Gluten-free
Blood pressure: Recumbent ____ / ____ Standing ____ / ____ Ragland's Test is Positive

INSTRUCTIONS: Fill in only the circles which apply to you.

- ○ ○ MILD symptoms (occurs rarely).
- ● ○ MODERATE symptoms (occurs several times a month).
- ○ ● SEVERE symptoms (occurs almost constantly)
- ○ ○ Leave circles **BLANK** if they don't apply to you!

1 2 3 GROUP 1

- 1 ○ ○ ○ Acid foods upset
- 2 ○ ○ ○ Get chilled often
- 3 ○ ○ ○ "Lump" in throat
- 4 ○ ○ ○ Dry mouth-eyes-nose
- 5 ○ ○ ○ Pulse speeds after meal
- 6 ○ ○ ○ Keyed up - fail to calm
- 7 ○ ○ ○ Cut heals slowly
- 8 ○ ○ ○ Gag easily
- 9 ○ ○ ○ Unable to relax; startles easily
- 10 ○ ○ ○ Extremities cold, clammy
- 11 ○ ○ ○ Strong light irritates
- 12 ○ ○ ○ Urine amount reduced
- 13 ○ ○ ○ Heart pounds after retiring
- 14 ○ ○ ○ "Nervous" stomach
- 15 ○ ○ ○ Appetite reduced
- 16 ○ ○ ○ Cold sweats often
- 17 ○ ○ ○ Fever easily raised
- 18 ○ ○ ○ Neuralgia-like pains
- 19 ○ ○ ○ Staring, blinks little
- 20 ○ ○ ○ Sour stomach often

GROUP 2

- 21 ○ ○ ○ Joint stiffness on arising
- 22 ○ ○ ○ Muscle-leg-toe cramps at night
- 23 ○ ○ ○ "Butterfly" stomach, cramps
- 24 ○ ○ ○ Eyes or nose watery
- 25 ○ ○ ○ Eyes blink often
- 26 ○ ○ ○ Eyelids swollen, puffy
- 27 ○ ○ ○ Indigestion soon after meals
- 28 ○ ○ ○ Always seems hungry; feels "lightheaded" often
- 29 ○ ○ ○ Digestion rapid
- 30 ○ ○ ○ Vomiting frequent
- 31 ○ ○ ○ Hoarseness frequent
- 32 ○ ○ ○ Breathing irregular
- 33 ○ ○ ○ Pulse slow; feels "irregular"
- 34 ○ ○ ○ Gagging reflex slow
- 35 ○ ○ ○ Difficulty swallowing
- 36 ○ ○ ○ Constipation, diarrhea alternating
- 37 ○ ○ ○ "Slow starter"
- 38 ○ ○ ○ Get "chilled" infrequently
- 39 ○ ○ ○ Perspire easily
- 40 ○ ○ ○ Circulation poor, sensitive to cold
- 41 ○ ○ ○ Subject to colds, asthma, bronchitis

GROUP 3

- 42 ○ ○ ○ Eat when nervous
- 43 ○ ○ ○ Excessive appetite
- 44 ○ ○ ○ Hungry between meals
- 45 ○ ○ ○ Irritable before meals
- 46 ○ ○ ○ Get "shaky" if hungry
- 47 ○ ○ ○ Fatigue, eating relieves
- 48 ○ ○ ○ "Lightheaded" if meals delayed
- 49 ○ ○ ○ Heart palpitates if meals missed or delayed
- 50 ○ ○ ○ Afternoon headaches
- 51 ○ ○ ○ Overeating sweets upsets

1 2 3

- 52 ○ ○ ○ Awaken after few hours sleep - hard to get back to sleep
- 53 ○ ○ ○ Crave candy or coffee in afternoons
- 54 ○ ○ ○ Moods of depression - "blues" or melancholy
- 55 ○ ○ ○ Abnormal craving for sweets or snacks

GROUP 4

- 56 ○ ○ ○ Hands and feet go to sleep easily, numbness
- 57 ○ ○ ○ Sigh frequently, "air hunger"
- 58 ○ ○ ○ Aware of "breathing heavily"
- 59 ○ ○ ○ High altitude discomfort
- 60 ○ ○ ○ Opens windows in closed rooms
- 61 ○ ○ ○ Susceptible to colds and fevers
- 62 ○ ○ ○ Afternoon "yawner"
- 63 ○ ○ ○ Get "drowsy" often
- 64 ○ ○ ○ Swollen ankles, worse at night
- 65 ○ ○ ○ Muscle cramps, worse during exercise; get "charley horses"
- 66 ○ ○ ○ Shortness of breath on exertion
- 67 ○ ○ ○ Dull pain in chest or radiating into left arm, worse on exertion
- 68 ○ ○ ○ Bruise easily, "black and blue" spots
- 69 ○ ○ ○ Tendency to anemia
- 70 ○ ○ ○ "Nose bleeds" frequent
- 71 ○ ○ ○ Noises in head, or "ringing in ears"
- 72 ○ ○ ○ Tension under the breastbone, or feeling of "tightness", worse on exertion

GROUP 5

- 73 ○ ○ ○ Dizziness
- 74 ○ ○ ○ Dry skin
- 75 ○ ○ ○ Burning feet
- 76 ○ ○ ○ Blurred vision
- 77 ○ ○ ○ Itching skin and feet
- 78 ○ ○ ○ Excessive falling hair
- 79 ○ ○ ○ Frequent skin rashes
- 80 ○ ○ ○ Bitter, metallic taste in mouth in mornings
- 81 ○ ○ ○ Bowel movements painful or difficult
- 82 ○ ○ ○ Worrier, feels insecure
- 83 ○ ○ ○ Feeling queasy; headache over eyes
- 84 ○ ○ ○ Greasy foods upset
- 85 ○ ○ ○ Stools light colored
- 86 ○ ○ ○ Skin peels on foot soles
- 87 ○ ○ ○ Pain between shoulder blades
- 88 ○ ○ ○ Use laxatives
- 89 ○ ○ ○ Stools alternate from soft to watery
- 90 ○ ○ ○ History of gallbladder attacks or gallstones
- 91 ○ ○ ○ Sneezing attacks
- 92 ○ ○ ○ Dreaming, nightmare type bad dreams
- 93 ○ ○ ○ Bad breath (halitosis)
- 94 ○ ○ ○ Milk products cause distress
- 95 ○ ○ ○ Sensitive to hot weather
- 96 ○ ○ ○ Burning or itching anus
- 97 ○ ○ ○ Crave sweets

GROUP 6

- 98 ○ ○ ○ Loss of taste for meat
- 99 ○ ○ ○ Lower bowel gas several hours after eating
- 100 ○ ○ ○ Burning stomach sensations, eating relieves
- 101 ○ ○ ○ Coated tongue
- 102 ○ ○ ○ Pass large amounts of foul-smelling gas
- 103 ○ ○ ○ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.
- 104 ○ ○ ○ Mucous colitis or "irritable bowel"
- 105 ○ ○ ○ Gas shortly after eating
- 106 ○ ○ ○ Stomach "bloating" after eating

1 2 3 GROUP 7A

- 107 Insomnia
- 108 Nervousness
- 109 Can't gain weight
- 110 Intolerance to heat
- 111 Highly emotional
- 112 Flush easily
- 113 Night sweats
- 114 Thin, moist skin
- 115 Inward trembling
- 116 Heart palpitates
- 117 Increased appetite without weight gain
- 118 Pulse fast at rest
- 119 Eyelids and face twitch
- 120 Irritable and restless
- 121 Can't work under pressure

GROUP 7B

- 122 Increase in weight
- 123 Decrease in appetite
- 124 Fatigue easily
- 125 Ringing in ears
- 126 Sleepy during day
- 127 Sensitive to cold
- 128 Dry or scaly skin
- 129 Constipation
- 130 Mental sluggishness
- 131 Hair coarse, falls out
- 132 Headaches upon arising, wear off during day
- 133 Slow pulse, below 65
- 134 Frequency of urination
- 135 Impaired hearing
- 136 Reduced initiative

GROUP 7C

- 137 Failing memory
- 138 Low blood pressure
- 139 Increased sex drive
- 140 Headaches, "splitting or rending" type
- 141 Decreased sugar tolerance

GROUP 7D

- 142 Abnormal thirst
- 143 Bloating of abdomen
- 144 Weight gain around hips or waist
- 145 Sex drive reduced or lacking
- 146 Tendency to ulcers, colitis
- 147 Increased sugar tolerance
- 148 Women: menstrual disorders
- 149 Young girls: lack of menstrual function

GROUP 7E

- 150 Dizziness
- 151 Headaches
- 152 Hot flashes
- 153 Increased blood pressure
- 154 Hair growth on face or body (female)
- 155 Sugar in urine (not diabetes)
- 156 Masculine tendencies (female)

GROUP 7F

- 157 Weakness, dizziness
- 158 Chronic fatigue
- 159 Low blood pressure
- 160 Nails weak, ridged
- 161 Tendency to hives
- 162 Arthritic tendencies
- 163 Perspiration increase
- 164 Bowel disorders
- 165 Poor circulation
- 166 Swollen ankles
- 167 Crave salt
- 168 Brown spots or bronzing of skin
- 169 Allergies - tendency to asthma

1 2 3

- 170 Weakness after colds, influenza
- 171 Exhaustion - muscular and nervous
- 172 Respiratory disorders

GROUP 8

- 173 Muscle weakness
- 174 Lack of Stamina
- 175 Drowsiness after eating
- 176 Muscular soreness
- 177 Rapid heart beat
- 178 Hyper-irritable
- 179 Feeling of a band around your head
- 180 Melancholia (feeling of sadness)
- 181 Swelling of ankles
- 182 Diminished urination
- 183 Tendency to consume sweets or carbohydrates
- 184 Muscle spasms
- 185 Blurred vision
- 186 Loss of muscular control
- 187 Numbness
- 188 Night sweats
- 189 Rapid digestion
- 190 Sensitivity to noise
- 191 Redness of palms of hands and bottom of feet
- 192 Visible veins on chest and abdomen
- 193 Hemorrhoids
- 194 Apprehension (feeling that something bad will happen)
- 195 Nervousness causing loss of appetite
- 196 Nervousness with indigestion
- 197 Gastritis
- 198 Forgetfulness
- 199 Thinning hair

FEMALE ONLY

- 200 Very easily fatigued
- 201 Premenstrual tension
- 202 Painful menses
- 203 Depressed feelings before menstruation
- 204 Menstruation excessive and prolonged
- 205 Painful breasts
- 206 Menstruate too frequently
- 207 Vaginal discharge
- 208 Hysterectomy / ovaries removed
- 209 Menopausal hot flashes
- 210 Menses scanty or missed
- 211 Acne, worse at menses
- 212 Depression of long standing

MALE ONLY

- 213 Prostate trouble
- 214 Urination difficult or dribbling
- 215 Night urination frequent
- 216 Depression
- 217 Pain on inside of legs or heels
- 218 Feeling of incomplete bowel evacuation
- 219 Lack of energy
- 220 Migrating aches and pains
- 221 Tire too easily
- 222 Avoids activity
- 223 Leg nervousness at night
- 224 Diminished sex drive

List the five main complaints you have in the order of their importance:

1. _____

2. _____

3. _____

4. _____

5. _____